CANARA BANK HEAD OFFICE, BANGALORE

OFFER DOCUMENT

FOR

HIRING OF PREMISES

UNDER

SINGLE BID SYSTEM

Issued By:

Premises Section

Circle Office

Bhopal (MP)-462011

Telephone : 0755-2671035

E-mail : premcobpl@canarabank.com

PREMISES & ESTATE SECTION,

CIRCLE OFFICE Tel : 0755-2671035

Address-3/5, Paryavas bhavan Fax :

Arera Hills, Jail Road E-Mail: premcobpl@ canarabank.com

Bhopal (M.P.)-462011

NOTICE INVITING OFFERS FOR HIRING OF PREMISES

CANARA BANK intends to take Commercial premises on lease from Individuals/Firms. Offers are invited under Single Bid System as per details given below:

1. Requirements:

Area of premises	Location	Remarks
1500 sft (carpet area) Commercial premises	Branch at Araniakalan	 A) Preference will be given to the premises in Ground floor with entire area in a single floor. B) The strong room measuring about 200 sft as per the Banks specification is to be Constructed in the premises by the offerer. C) Required Power load is 20 KW.

- 2. The prospective offerers meeting the above requirements are requested to collect the Offer Documents from the Office at the above address from 18.02.2021 to 11.03.2021 during working hours. The Offer Document can also be downloaded from our website www.canarabank.com.
- 3. Duly filled in offers placed in a Sealed Envelope Superscribed as "OFFER FOR HIRING OF PREMISES AT", to Canara Bank Block no. 3, 5th floor, Paryavas bhavan, Arera Hills, Jail Road, Bhopal (M.P.)-462011" shall be submitted up to 5.00 PM on 11.03.2021 at Premises & Estate Section, Circle Office at the above given Address.
 - 4. The Offer will be opened on the same day at 5.30 PM at the above office in the presence of bidders or their authorized representatives who may choose to be present.

No Brokers / Intermediaries shall be entertained. Canara Bank reserves the right to accept or reject any or all offers in full / part without assigning any reasons whatsoever.

Instructions to Offerers

- The Notice Inviting Offer, Instructions to offerers, Offer Letter along with Carpet Area Definition and Strong room specifications will form part of the offer to be submitted by the offerer. The Offer Letter shall contain the terms and conditions of the offer to lease out the premises
- 2. The Offer Letter along with other documents as detailed above shall be placed in a sealed envelope—and superscribed as "Offer for Hiring of Branch/Office Premises at" to Canara Bank at Block no. 3, 5th floor, Paryavas Bhavan, Arera Hills, Jail Road, Bhopal (M.P.)-462011 and to be submitted at the address given in the Notice Inviting Offers on or before the last date and time stipulated for submission. The Name & address of the offerer to be mentioned on the cover without fail.
- 3. Offers received with delay for any reasons whatsoever, including postal delay after the time and date fixed for submission of offers shall be termed as 'LATE' and shall not be considered.
- 4. Copies of the following documents are to be submitted along with the "Offer" in support of the details furnished there in.
 - i. A set of floor plans, sections, elevations and site plan of the premises offered showing the detailed dimensions, main approach road, road on either side if any width of the road/s and adjacent properties etc.,
 - ii. A copy of the title of investigation and search report along with copies of title deeds.
 - iii. Documents related to conversion of land use for Non-agricultural purpose from the competent authority.
- 5. All columns of the "Offer Letter" must be duly filled in and no column should be left blank. All the pages of the "Offer Letter" are to be signed by the offerer /authorized signatory. In case of joint ownership, all the joint owners have to sign all the pages of the "Offer Letter". Any over writing or use of white ink is to be duly authenticated by the offerer. Incomplete offers / Offers with in-correct details are liable for rejection.
- 6. In case the space in the "Offer Letter" is found insufficient, the offerers may attach separate sheets.

- 7. The "Offer Letter" submitted shall be in compliance to the terms/conditions specified therein. However, any terms in deviation to the terms/conditions specified in the "Offer Letter", shall be furnished in a separate sheet marking "list of deviations".
- 8. Canvassing in any form will disqualify the offerer.
- 9. Separate offers are to be submitted, if more than one property is offered.
- 10.i) The Offers will be opened on Date & Time stipulated in the Notice Inviting Offers in the presence of offerers at our above office. All offerers are advised in their own interest to be present on that date, at the specified time.
 - ii) After the site visit and evaluation of the offers received most suitable and Competitive offer will be selected.
- 11. The "Offer" submitted should remain open for consideration for a minimum period of Three months from the date of opening of Offer.
- 12. The offer submitted should be given for 20 Years.

OFFER LETTER From: Sri./Smt./M/s..... Tel: Fax E-Mail To: THE DEPUTY GENERAL MANAGER CANARA BANK, CIRCLE OFFICE Dear sir, SUB: OFFER OF PREMISES ON LEASE TO THE BANK I/We offer the following premises on lease to the Bank at......(Location, Place) on the terms described here below. Full address of premises offered on lease Distance from the main road/cross road b] Whether there is direct access to the premises from the main road Floor wise area : Floor:.... Carpet area :....(Sft) Year of construction e] If the building is new, whether occupancy f] certificate is obtained If the building is yet to be constructed g] i>. Whether plan of the building is approved (copy enclosed) ii>. Cost of construction iii>. Time required for completing the construction If the building is old whether repairs/ h] renovation is required

i]

If so cost of repairs/renovation

(j)	BOUNDARIES	:			
	East				
	West				
	North				
	South				
TEF	RMS & CONDITIONS::				
a>.	Rent : floor wise rent at th	e following rates i.e			
			Pontal rate ner off		
	<u>Floor</u>	carpet area	Rental rate per sft		
	With effect from i.e., the date of handing over vacant possession after completion of the construction, repairs, renovation, additions, payable within 5 th working day of succeeding calendar month.				
b>.	LEASE PERIOD:: (The Offe	r should be given for 20 Ye	ears)		
	·	_	•		
		_	t possession after completion of % increase in rent after every		
	5 years (Rural/Semi Urbar		,		
c>.	TAXES/RATES::				
	All existing and enhanced M	lunicipal/Corporation taxes,	rates, cesses, maintenance/service		
	•	will be paid by me/us. Servio	ce Tax payable on rent payment will		
	be borne by the Bank.				
d>.	MAINTENANCE/REPAIRS::		npering will be got done by me / us		
		, ,	and /or painting/distempering is/are		
			liberty to carryout such repairs,		
	painting/distempering etc., payable to me/us.	at our cost and deduct all	such expenses from the rent		
	payable to me/us.				
e]	RENTAL DEPOSIT::				
			being the advance		
	•		o you at the time of vacating the		
	premises or you are at ill	berty to adjust the amoun	it from the last rent payable to		

me/us before you vacate the premises.

f | LEASE DEED/REGISTRATION CHARGES::

I/We undertake to execute an agreement to lease and register a regular lease deed, in your favour containing the mutually accepted/ sanctioned terms of lease at an early date. I/We undertake to share the cost of stamp duty and registration expenses for registering the lease deed in the ratio of 50:50 between the Bank and me/us.

DECLARTION::

- 1>. I/We have understood the definition of the "Carpet Area" and agreeable to accept payment of rent on Carpet area basis. The carpet area will be measured in my/our presence and the Bank Officials after completion of the building in all respects as per the specifications/requirements of the Bank.
- 2>. During the period of tenancy, if the Bank desires to carryout alterations if any within the premises at Bank's cost, I/We agree to permit the same on the existing lease terms and conditions.
- 3>. The following amenities are available in the premises or I /we am/are agreeable to provide the following amenities at my/our cost.
 - i] I/We have understood the specification of Strong Room and the strong room will be constructed strictly as per the Bank's specifications and size. I/We shall at our cost arrange for Fitness Certificate for the strong room through a competent/ Bank's appointed Architect / Engineer. Strong room door, grill gate and ventilators are to be supplied by the Bank.
 - ii] A partition wall will be provided inside the strong room segregating the locker room and cash room.
 - iii] Separate toilets for gents & ladies will be provided. All sanitary fittings shall be of standard quality.
 - iv] A collapsible gate, rolling shutters with locking will be provided at the entrance and at any other point which gives direct access to the premises.
 - v] Entire flooring will be of Vitrified / Granite / Marble. Non-skid ceramic tile flooring in toilets with about 5 feet height ceramic tile dado.
 - vi] All windows, ventilators and such other openings will be strengthened by MS Grills with glass and mesh doors.
 - vii] Required power load for the normal functioning of the Bank, requisite electrical light, power points, distribution board, separate electricity meter and good quality earthing will be provided. Bank shall bear actual charges for consumption.
 - viii] Continuous water supply will be ensured at all times by providing overhead tank and necessary taps. Wherever necessary, electric motor of required capacity will be provided. Separate water meter will be provided. In case municipal water supply is not adequate, alternate potable water source shall be made available. Bank shall bear actual charges for consumption.

- ix] Proper and adequate space for fixing Bank's sign board, VSAT, DG-Set, Solar Panel will be provided.
- x] Required number of Pucca Morchas for security purpose will be provided as per Bank's specification.
- xi] Adequate parking space will be provided for vehicles of Bank staff and customers.
- 4>. I/We agree for the Bank installing its On-Site ATM within the offered premises without any additional rent for the ATM. In other words, Branch area and ATM area will be clubbed for determining the rent payable. Further, I/We agree to construct ATM enclosure within the offered premises as per the plan layout of the Bank's Architect at my/our cost.
- 5>. I/We declare that I am/we are the absolute owner of the plot/building offered to you and having valid marketable title.
- 6>. The charges/fees towards scrutinizing the title deeds of the property by the Bank's approved lawyer will be borne by me/us.
- 7>. You are at liberty to remove at the time of vacating the premises, all electrical fittings and fixtures, counters, safes, safe deposit lockers, cabinets, strong room door, partitions and other furniture put up by you.
- 8>. If my/our offer is acceptable, I/We will give you possession of the above premises within two months of acceptance of offer by the bank duly completing the strong room and other civil / electrical works required by the bank.
- 9>. I/We further confirm that offer is valid for a period of THREE Months from the date of this offer.
- 10>. Income tax on rental payment will be deducted at source (TDS) at prevailing rate.
- 11>. I/We agree that until a regular lease agreement is entered into, this document with the bank's written acceptance thereof shall constitute the binding contract between me/us and the bank.

	Yours faithfully,
Place :	(Owner/s)
Date :	

CARPET AREA DEFINITION

The carpet area of any floor shall be the floor area worked out excluding the following portions of the building:

- 1. Toilets
- 2. Common Verandahs, Passages, Corridors
- 3. Open Balconies
- 4. Common Entrance Hall
- 5. Car porch whether common or exclusive
- 6. Common Staircase and mumties
- 7. Lift well and shafts
- 8. Common Garages / parking which is common to all
- 9. Common Canteen Areas
- 10. Air conditioning ducts and common AC plant rooms.
- 11. Pump house areas.
- 12. Space occupied by walls
- 13. Any other area which is common to all tenants.

I/We am/are agreeable to exclude the area covered under the above items and willing to accept the rent and advance rent strictly on the basis of carpet area to be arrived at after joint measurement.

Signature	of	the	offerer	/ 5

Place:

Date:

SPECIFICATION FOR CONSTRUCTING RCC STRONG ROOM ("B" CLASS)

The specifications for strong room for branches are detailed hereunder:

I. THE SPECIFICATIONS FOR THE STRONG ROOM ARE AS FOLLOWS:

WALLS: R C C 1:2:4 30 cm (12") thick

FLOOR: R C C 1:2:4 15 cm (6") thick

FLOOR:

15 cm (6" thick) heavily reinforced over the existing plain cement concrete

flooring for vaults in Ground floors and over existing RCC slabs in vaults in

upper floor (the strength of the slab in such case will have to be checked to

allow for the additional dead and super imposed load).

CEILING - R C C 1:2:4

30 cm (12" thick). Where it is not feasible to provide a RCC slab as specified,

the ceiling may be fortified with MS grills consisting of 20 mm rods spaced 75

mm c/c in angle iron frame work.

Reserve Bank of India has specified ceilings fortification only in cases where it

is not feasible to provide RCC slab of specified thickness.

If it is not possible to provide the strong room with the ceiling of prescribed

thickness of 30 cms (12") or provide fabrication with MS grills, RBI would be

prepared to consider relaxation of the existing specification on merits of

individual cases, provided the floor space directly above the strong room is

also in the possession and occupation of the Bank.

II. THE MINIMUM REINFORCEMENTS AS ADVISED BY RBI ARE GIVEN BELOW:

WALLS:

12 mm dia mild Steel/tor steel @ 6"c/c both ways and on both faces of the wall

(a formation of reinforcement matt of about 6"x 6") on either face of the wall

to be obtained.

FLOOR: Same as in the case of walls but only on one face.

CEILINGS: Same as in the case of walls.

Further where reinforcement is proposed on two faces of a RCC member, it shall be staggered in such a manner that any view taken at right angles to the matt formation would show reinforcement at every (3") c/c in elevation (in respect of walls) and in plan (in respect of ceiling slab). The above reinforcements are only the minimum and depending on the structural requirements, the structural consultants for the work, should design and detail out actual reinforcements required but these shall not be less than what are specified above.

III. COLUMN SIZES:

Two columns of 10"x10" size with 6 nos of 12 mm dia TOR Steel main rods and 6 mm dia binder rods are to be done only after fixing the door and ascertaining the plumbline.

IV. AIR VENTILATORS	GODREJ	STEELAGE	
Overall opening	24"x24"	24"x24"	
Clear opening	18"x18"	18"x18"	

When the strong room is divided into 2 portions for cash and lockers, two ventilators for both the rooms are to be provided. The Air ventilator/s should not be fixed on the exterior / outer walls.

Signature of the offerer/s

Place:

Date: