

# CANARA BANK HEAD OFFICE, BANGALORE

## **OFFER DOCUMENT**

**FOR** 

# **HIRING OF PREMISES**

**UNDER** 

## TWO BID SYSTEM

Issued By:

Premises Section

Circle Office

Fax No.

1-Orbit Mall,

E-mail

civil Line,

Telephone

Fax No.

E-mail

civil Line,

0141-2222883

premisescojpr

@canarabank.com

Ajmer Road, Jaipur-302006



## **ANNEXURE-III**

# OFFER DOCUMENT INVITING OFFERS IN TWO-BID SYSTEM FOR HIRING PREMISES TO THE BANK AT FOLLOWING LOCATIONS

- 1. Beawar
- 2. Noondri Medratan
- 3. Keshav Rai Patan
- 4. Balotra SME
- 5. Kishangarh Bass
- 6. Jaipur (Bajaj Nagar / Gandhi Nagar / Tonk Road ( Near Gandhi Nagar Railway Station
- 7. Jhalarapatan
- 8. Nimbahera
- 9. Rawatsar
- 10. Bikaner Pugal Road /Jaisalmer Road

The Offer document consists of the following:

## **TECHNICAL BID:**

- i) Notice Inviting Offers
- ii) Instructions to offerers
- iii) Terms & Conditions
- iv) Technical Details of the Premises offered
  - v) Carpet Area Definition
- vi) Strong Room specifications

## FINANCIAL BID:

i) Rate/rental details of the premises offered.

All the above mentioned documents are to be submitted to the bank duly signed by the offerer/s on all pages.

\*\*\*\*\*



Tel: 0141-2222909

Fax: 0141-222883

## **Annexure-III Contd.**

## NOTICE INVITING OFFERS FOR HIRING OF PREMISES

PREMISES & ESTATE SECTION,
CIRCLE OFFICE

Address - 1- Orbit Mall, Civil Line

Ajmer Road, Jaipur- 302006

E-Mail: premisescojpr@canarabank.com

**CANARA BANK** intends to take Commercial premises on lease basis from Individuals/ Firms. Offers are invited under Two Bid System as per details given below:

## 1. Requirements:

Maximum Carpet Area of premises	Location	Remarks	Applied for (Tick the box)
Upto 2200sft Commercial premises  BEAWAR  AREA NEAR BUS  STAND, SURAJPOL  GATE, AND  AJMERI GATE  ( AJMER DISTRICT)  Upto 1500sft Commercial premises  NOONDRI MEDARTAN  (AJMER DISTRICT)		<ul> <li>A) Preference will be given to the premises in Ground floor with entire area in a single floor.</li> <li>B) The strong room measuring about 300sft as per the Banks specification is to be constructed in the premises by the offerer.</li> <li>C) Required Power load is 35KW or as per bank requirement.</li> <li>A) Preference will be given to the premises in Ground floor with entire area in a single floor.</li> <li>B) The safe room measuring about 200 sft as per the Banks specification is to be constructed in the premises by the offerer.</li> <li>C) Required Power load is 20KW or</li> </ul>	
Upto 1900sft Commercial premises	KESHAVRAI PATAN (BUNDI DISTRICT)	as per bank requirement.  A) Preference will be given to the premises in Ground floor with entire area in a single floor.  B) The strong room measuring about 250sft as per the Banks specification is to be constructed in the premises by the offerer.	



# सिंडिकेट Syndicate

		C) Required Power load is 25KW or	
		as per bank requirement.	
Upto 1900sft Commercial	BALOTRA ( BARMER	<ul><li>A) Preference will be given to the premises in Ground floor with entire area in a single floor.</li><li>B) The strong room measuring about</li></ul>	
premises	DISTRICT)	250sft as per the Banks specification is to be constructed in the premises by the offerer.	
		C) Required Power load is 25KW or	
		as per bank requirement.	
Upto 1900sft	KISHANGARH BASS	A) Preference will be given to the premises in Ground floor with entire area in a single floor.	
premises	( ALWAR DISTRICT)	B) The strong room measuring about 250sft as per the Banks specification is to be constructed in the premises by the offerer.	
		C) Required Power load is 25KW or	
		as per bank requirement.	
Upto 1900sft Commercial	JHALARAPATAN	A) Preference will be given to the premises in Ground floor with entire area in a single floor.	
premises	(JHALAWAR DISTRICT)	B) The strong room measuring about 250sft as per the Banks specification is to be constructed in the premises by the offerer.	
		C) Required Power load is 25KW or	
		as per bank requirement.	
Upto 2500sft Commercial	BAJAJ NAGAR / GANDHI NAGAR /	A) Preference will be given to the premises in Ground floor with entire area in a single floor.	
premises	TONK ROAD (NEAR GANDHI NAGAR RAILWAY	<b>B)</b> The strong room measuring about <b>300 sft</b> as per the Banks specification is to be constructed in the premises by the offerer.	
	STATION) JAIPUR	C) Required Power load is 35 KW or	
	(JAIPUR DISTRICT)	as per bank requirement	
Upto 1200sft Commercial	NIMBAHERA	A) Preference will be given to the premises in Ground floor with entire area in a single floor.	
premises	( CHITTORGARH DISTRICT)	B) The strong room measuring about 200 sft as per the Banks specification is to be constructed in the premises by the offerer.	
		C) Required Power load is 20KW or	
		as per bank requirement.	

## Féfisas Syndicate

Upto 1900sft Commercial premises	RAWATSAR ( HANUMANGARH DISTRICT)	<ul> <li>A) Preference will be given to the premises in Ground floor with entire area in a single floor.</li> <li>B) The strong room measuring about 200 sft as per the Banks specification is to be constructed in the premises by the offerer.</li> <li>C) Required Power load is 25KW or as per bank requirement.</li> </ul>	
Upto 2000sft Commercial premises	BIKANER PUGAL ROAD / JAISAILMER ROAD ( BIKANER DISTRICT)	<ul> <li>A) Preference will be given to the premises in Ground floor with entire area in a single floor.</li> <li>B) The strong room measuring about 300sft as per the Banks specification is to be constructed in the premises by the offerer.</li> <li>C) Required Power load is 35KW or as per bank requirement.</li> </ul>	

- 2. The prospective offerers meeting the above requirements are requested to collect the Offer Documents from the Office at the above address OR from our Nearest Branch from 28.06.2021 to 09.07.2021 during office hours. The Offer Document can also be downloaded from our website www.canarabank.com.
- 3. Duly filled in offers placed in a Sealed Envelope super scribed as "OFFER FOR HIRING OF PREMISES AT ....." shall be submitted up to **end of office hours** on **09.07.2021** to Premises & Estate Section, Circle office at the above given address.
- 4. The date of opening "Technical Bid" will be opened on a pre-notified date at the above office in the presence of bidders or their authorized representatives who may choose to be present.

No Brokers / Intermediaries shall be entertained. Canara Bank reserves the right to accept or reject any or all offers in full / part without assigning any reasons whatsoever.

Sd/-

Authorized official of the Bank



## **Instructions to Offerers**

- The Notice Inviting Offer, Instructions to offerers, Terms and Conditions,
  Technical details of the premises offered, Carpet Area Definition, Strong
  Room specifications and Financial Bid will form part of the offer to be
  submitted by the offerer.
- 2. The offers are to be submitted in Two Bid System i.e., Technical Bid and Financial bid.
- 4. The Financial Bid shall contain **Only** financial details i.e., rate/ rent per sq.ft. on carpet area basis and other financial implications. The Financial Bids will be placed in a sealed envelope (**Marked Envelope -2**) and superscribed as "Financial Bid for Hiring of Office Premises for Canara Bank at ......". The Name & address of the offerer to be mentioned on the cover without fail.
- 5. Both the sealed envelopes shall be placed in a bigger sealed envelope superscribed as "OFFER FOR HIRING OF PREMISES FOR CANARA BANK AT ......" and submitted at the address given in the Notice Inviting Offers on or before the last date and time for submission.



- 6. Offers received with delay for any reasons whatsoever, including postal delay after the time and date fixed for submission of offers shall be termed as "LATE" and shall not be considered.
- 7. Copies of the following documents are to be submitted with Technical Bid in support of the details furnished there in.
  - A set of floor plans, sections, elevations and site plan of the premises offered showing the detailed dimensions, main approach road, road on either side if any width of the road/s and adjacent properties etc.,
  - ii. A copy of the title of investigation and search report along with copies of title deeds.
  - iii. Documents related to conversion of land use to Non-agricultural purpose from the competent authority.
- 8. All columns of the offer documents must be duly filled in and no column should be left blank. All the pages of the offer documents are to be signed by the offerer /authorized signatory. In case of joint ownership, all the joint owners have to sign all the pages of the bids (Technical and Financial Bids). Any over- writing or use of white ink is to be duly authenticated by the offerer. Incomplete Offers / Offers with in-correct details are liable for rejection.
- 9. In case the space in the offer document is found insufficient, the offerers may attach separate sheets.
- 10. The offer submitted shall be in compliance to the terms/conditions specified in the offer document. However, any terms in deviation to the terms/conditions specified therein, shall be furnished in a separate sheet marking "list of deviations". Bank reserves the right to accept or reject all or any of the deviations without assigning any reason.
- 11. Separate offers are to be submitted, if more than one property is offered.



- 12.i) The Technical bids will be opened on Date & Time stipulated in the Notice inviting Offers in the presence of offerer/s at our above office.

  Offerer/s is/are advised in his/her/their own interest to be present on that date, at the specified time.
- ii) The preliminary short-listed offerers will be informed in writing by the Bank for arranging site inspection of the offered premises.
- iii) After the site visit, the Technical Bid will be evaluated on various parameters like location, amenities available, exclusivity, nearby surroundings, proneness to water logging / flood etc, quality of construction, efficacy of the internal layout of premises and layout of buildings in the complex etc., and suitable offers shall be finalized /shortlisted for opening Financial Bid.
- 13. Canvassing in any form will disqualify the offerer.
- 14. The offer submitted shall remain open for consideration for a minimum period of "Three months" from the date of opening of Technical Bids.

## 15. METHOD OF EVALUATION OF SHORTLISTED OFFERS:

The bids of shortlisted offerers will be evaluated on techno-commercial basis giving weightage as detailed below:

- a. Technical Evaluation 60%
- b. Financial Evaluation 40%

The Technical Bids of shortlisted premises shall be evaluated with the following parameters & weightages and the rating will be awarded.

Sl. No.	Parameters	Marks allotted (standard)
1	Location (viz., main road, side road, commercial, residential & frontage, visibility, elevation, width of frontage for signage, advertisement value etc)	15
2	Floor (Ground - 25 / FF - 5)	25
3	Amenities provided/agreeable by landlord like strong room, AC if it is part of offer, DG Set provisions, Parking & if extended lease periods beyond 5+5 yrs such other factors beneficial to the bank.	10

	केनरा बैंक Canara Bank <	A	
4	Building layout, its specifications (viz., age of building, shape, ventilation, less number of columns, ceiling height, flooring etc)	10	
	Total Marks	60	

Financial bids in respect of short listed premises will only be opened and evaluated for 40% weightage. The Lowest quote of financial bid will be treated as the benchmark and allotted with 100% marks (i.e., 40 marks). The marks for other offers shall be arrived at allotting marks in proportion to the rate quoted by them.

The final ranking of the offers will be a total of marks obtained in the technical evaluation and the financial evaluation. An illustrative example is furnished below.

Offerer	Marks for Technical Evaluation ( 60 marks)	Rate per sft quoted In the Financial Bid	Marks for Financial Evaluation (40 Marks)	Total Marks and position
1	2	3	4	5 = (2+4)
A	55.00	50.00	36.00	91.00 - Highest score - L1
В	33.00	45.00	40.00	73.00 L3
С	37.00	55.00	32.73	69.73 L4
D	56.00	52.00	34.61	90.61 L2

- 16. Offerers are requested to submit their lowest possible quotes in the Financial Bid as negotiations / discussions will be held only with the L1 arrived as detailed above.
- 17. The offer should be submitted in prescribed format only. Offer submitted in other than prescribed format will be liable for rejection. The offerers are requested to quote the rental rate after going through carefully the "Carpet Area Definition" and the "Strong Room Specifications" detailed in this document.



18. Canara Bank reserves the right to accept any offer or to reject any or all offers at its sole discretion without assigning reasons thereof and does not bind to accept the lowest tender.

Place:	Signature of Offerer/s
Date :	
	with seal



## **Terms and Conditions**

- Property should be situated in good commercial with congenial surroundings and proximity to public amenities like Bus stop, Banks, Markets, Hospitals, Schools etc.
- 2. There should not be any water logging inside the premises and surrounding area.
- Offerer to provide adequate parking space for vehicles of Bank staff and customers. The premises should have good frontage and proper access.
- 4. Preference will be given to premises ready for occupation. The owners of such premises will have to hand over the possession of premises within two months of the acceptance of their offer by the Bank duly completing the strong room and other Civil / Electrical works as required by the Bank.
- 5. The entire offered area shall be available in a single floor and preferably in Ground Floor. In case the offered premises split in Ground floor + Mezzanine floor or Ground and First Floor etc.,, both the floors should be interconnected by an internal staircase and the said staircase shall be available for exclusive use of Bank and shall be in the possession of the Bank.
- 6. The premises shall be preferably freehold. If it is leasehold, details regarding lease period, copy of lease agreement, initial premium and subsequent rent shall be furnished and permissibility of sub-leasing shall be established. The title report proving ownership and clear marketability is to be enclosed.
- 7. Lease agreement for the premises finalized will be entered into with the landlord/s.



- 8. Minimum period of lease will be 10 years with enhancement in rent for the second block of 5 years (Rural/Semi Urban 10% to 15%, Urban 15% to 20% and Metro 20% to 25%) with minimum notice period of 3 months for vacation by the Bank.
- 9. Payment of rent will be on Carpet area basis only. Carpet area shall be arrived after joint measurement as per the Bank's Carpet area Definition.
- 10. The rent shall be inclusive of basic rent plus all taxes / cess present and future House tax, property tax, and Municipal taxes. Maintenance charges and service charges like society charges etc. The rent will be paid from the date of taking possession of the premises. Nothing extra will be paid other than the monthly lease rent. If the offerers are not agreeable to bear any of the taxes / charges, it should be clearly mentioned in the offer.
- 11. Service tax at the applicable rates on rental payment shall be borne by the Bank.
- 12. Bank may install its On-Site ATM within the offered premises. No additional rent will be paid for the ATM. In other words, Branch area and ATM area will be clubbed for determining the rent payable. The offerers at their own cost have to construct ATM enclosure within the offered area as per the plan lay out of the Bank's Architect.
- 13. The offerers at their own cost have to construct the strong room as per specification of Bank (Please refer "Strong room Specification" for details). Size of Strong Room depend on the Classification of the Branch (i.e.,Rural/Semi urban/Urban/Metro). The offerers at their cost shall arrange for Fitness Certificate for the strong room through a competent/ Bank's appointed Architect / Engineer. Strong room Door, Air Ventilator, Exhaust Fans, will be supplied by the Bank.
- 14. The offerers at their own cost secure and provide the required power load with independent meter. Energy Meter is to be provided by the landlords. Bank will be paying consumption charges only.



- 15. Adequate and uninterrupted water supply preferably municipal water supply to the premises shall be arranged with required capacity of underground tank/ over head tank and pump. In case, Municipal water supply is not adequate, alternate potable water source shall be made available. Bank will bear the actual consumption charges only.
- 16. Offerers at their cost have to construct separate toilets for Ladies and Gents.
- 17. The landlords during the currency of the lease shall carryout repairs and maintenance works for the premises and to make the building tenantable and leak proof / water proof as per the requirement. Painting of the premises is to be done once in 3-5 years.
- 18. During the period of tenancy, if the Bank desires to carryout alterations if any within the premises at Bank's cost, the Offerer will permit the same on the existing lease terms and conditions.
- 19. Registration & Stamp duty charges will be shared between the Landlord and the Bank in the ratio 50:50.
- 20. The Bank will pay the interest free advance rental deposit, which should be restricted to 03 (Three) month's rent.
- 21. Income-tax and Statutory clearances shall be obtained by the lessor at their

own cost as and when required.

22. Income tax on rental payment will be deducted at source (TDS) at prevailing

rate.

- 23. Offerers, at their cost, have to provide:
  - a) Collapsible gates of full size for external entrances.
  - b) Rolling shutters for external entrances with necessary locking arrangements.
  - c) MS Grills for all windows and ventilators and other such other openings.



- d) The building construction shall conform to relevant IS Codes and shall be earthquake resistant.
- e) Provision of proper adequate space for Bank's Sign Board, VSAT, DG Set/Inverter / Solar Panel.
- f) Good quality ceramic tile flooring in Rural and Semi Urban areas and vitrified flooring in Urban and Metropolitan Areas. Non-Skid ceramic tile flooring in toilets with about 5' ht. Ceramic tile dado.
- g) All sanitary fittings and toilet accessories such as commodes, urinals, wash basins, taps, health faucets etc., of standard quality.
- h) Electrical distribution system including light points, power points, distribution boards and good quality earthing (conforming to Indian Electricity Act and Local Electricity Board rules and regulations).
- i) Required number of pucca morchas for security purpose will be provided as per Bank's specifications wherever necessary.

•		•	
_			
- 1	ate (	•	
_	ale	•	

Place .



## TECHNICAL DETAILS OF THE PREMISES OFFERED

rrom:	10;
Sri/Smt/M/s.	The Dy. GeneralManager
	Circle Office
••••••••	
Telephone No. (O)	
(R )	
Mobile No	
Dear Sir,	
Sub: Offer of premises on lease for your	Branch/
Office	
In response to your paper advertise onas well as in your Bank's w the details of our premises as under:	• •
1. Name & Address of the Offerer	
2. Location & Postal address with PIN	code of
the offered premises	
3. Area offered (Floorwise Carpet area i	in Sft) FLOOR AREA IN SFT
4. BUILDING DETAILS:	
A) Year of Construction	
B) Number of floors	
C) Permitted usage (Residential /	
Commercial / Instit	tutional
D) Type of building structure	(Load
bearing	
E) Clear ceiling height of the offered	e floor



िसिडिकेट Syndicate

		F) Type of flooring provided	
--	--	------------------------------	--

5.	STATUTORY PERMISSIONS:		
	A) Whether plans are approved by		
	Local Authorities		
	B) Whether Occupation certificate is		
	available		
	C) Whether NOC from local		
	authorities is obtained for		
	Commercial usage of the building		
6. A	vailable frontage of the premises (Width of		
	ne Premises for display of Bank's sign oard)	Feet	
	Thether premises is situated on the Main oad (Please indicate the road width )	YES	NO
st	Thether floor of the building offered is crong enough to bear the load of strong bom walls, door/s, Safes, Safe Deposit ockers etc.,	YES	NO
	hether the surrounding of the premises is ean and hygienic	YES	NO
aı	Thether the premises is ready for ccupation, If not, indicate present status nd the time required for handing over ossession		
	lease furnish name and contact number of ne earlier occupant/s if any.		
	Thether the premises offered to the Bank is ree from encumbrances.	YES	NO



13. I/We have understood the concept of Carpet area on which the premises is to be offered to the Bank.	YES	NO
14.I/We am/are prepared to provide strong room of required size as per Bank's specification for the premises at my/our cost.	YES	NO
15.I/We am/are ready to provide ATM room within the offered premises without additional rent.	YES	NO
16. Power load available at present and the time required for providing the power load required by the Bank.		
17. Whether adequate space is available for Generator Set, VSAT, Solar Panels, Bank's sign Board.	YES	NO.
18. Whether adequate parking space is available in front of the premises. If "YES" details to be furnished		
19. If the floor offered is above Ground floor, whether lift facility is available. If so, number and capacity of the lift provided.		
20.1/we am /are willing to make alternations to the premises to suit Bank's requirement at my/our cost.	YES	NO
21. Whether separate independent electricity meter/water meter is/will be provided to	YES	NO

	designation of the second	
the premises.		
22. Whether Municipal water supply is available.	YES	NO
If "NOT" what alternate arrangement is made.		
23. Who are the other occupants of the	1.	
premises? Please furnish the floor-wise	2.	
occupation of other tenants	3.	
24. Whether, separate toilet for Gents and		
Ladies is provided. If Not, time required to	YES	NO
provide the same.		
25. Any other information such as additional	1.	
facilities offered etc., which the offerer	2.	
would like to highlight	3.	

- I) I/We am/have clear legal title in respect of the property offered to the Bank and copies of relevant documents in this regard are enclosed.
- II) I/We am/have read and understood Bank's Terms and Conditions for hiring the premises and confirm our acceptance for the same and accordingly quoted our rate on carpet area basis in the Financial Bid.

**OR** 

I/We am/have read and understood Bank's Terms and Conditions for hiring the premises. The Terms and conditions for which I/We am/are not agreeable are furnished in the "List of deviations" annexed to the Technical Bid. Accordingly, we have quoted our rate in the Financial Bid.

III) I/We agree that until a regular lease agreement is entered into, this document

with the bank's written acceptance thereof shall constitute the binding contract between me/us and the bank.

Yours faithfully,

Offerer/s (Signature/s)

Place:

Date:



## **FINANCIAL DETAILS OF THE OFFER**

(To be submitted in a separate sealed envelope marked as Financial Bid)

From:			
Sri/Smt/M/s	Tel	(0)	:
		(R)	:
	Mol	oile	:
То			
The Deputy General Manager			
CANARA BANK			
Circle Office			
Dear Sir,			
SUB: Offer of premises on lease for your	Br	anch/	
Office			
*****			
In response to your advertisement, I/We have submitting my/our premises in a separate envelope marked "Techam/are submitting the "Financial Bid" agreeing to the fo	nnical B	id".	
<ol> <li>To offer my/our premises at Rs</li></ol>	) ( e date d	on Ca of han	rpet ding
<ol><li>The above rate is quoted for the terms and of by us in the Technical Bid.</li></ol>	conditio	ns ag	reed
<ol><li>This offer is valid for 3 months from the dat "Technical Bid".</li></ol>	e of op	ening	the
Signatu	re of the	e offei	rer/s
Place:			
Date:			



## **CARPET AREA DEFINITION**

The carpet area of any floor shall be the floor area worked out excluding the following portions of the building:

- 1. Toilets
- 2. Common Verandahs, Passages, Corridors
- 3. Open Balconies
- 4. Common Entrance Hall
- 5. Car porch whether common or exclusive
- 6. Common Staircase and mumties
- 7. Lift well and shafts
- 8. Common Garages / parking which is common to all
- 9. Common Canteen Areas
- 10. Air conditioning ducts and common AC plant rooms.
- 11. Pump house areas.
- 12. Space occupied by walls
- 13. Any other area which is common to all tenants.

I/We am/are agreeable to exclude the area covered under the above items and willing to accept the rent and advance rent strictly on the basis of carpet area to be arrived at after joint measurement.

_	•						•	- 1		•	_		
۲	1	gn	a	tι	ıre	9 (	)t	tr	ıe	Οt	te	rer	/s

Place	:
Date	:



## SPECIFICATION FOR CONSTRUCTING RCC STRONG ROOM ("B" CLASS)

The specifications for strong room for branches are detailed hereunder:

## I. THE SPECIFICATIONS FOR THE STRONG ROOM ARE AS FOLLOWS:

WALLS: R C C 1:2:4 30 cm (12") thick

FLOOR: R C C 1:2:4 15 cm (6") thick

## FLOOR:

15 cm (6" thick) heavily reinforced over the existing plain cement concrete flooring for vaults in Ground floors and over existing RCC slabs in vaults in upper floor (the strength of the slab in such case will have to be checked to allow for the additional dead and super imposed load).

#### CEILING - R C C 1:2:4

30 cm (12" thick). Where it is not feasible to provide a RCC slab as specified, the ceiling may be fortified with MS grills consisting of 20 mm rods spaced 75 mm c/c in angle iron frame work.

Reserve Bank of India has specified ceilings fortification only in cases where it is not feasible to provide RCC slab of specified thickness.

If it is not possible to provide the strong room with the ceiling of prescribed thickness of 30 cms (12") or provide fabrication with MS grills, RBI would be prepared to consider relaxation of the existing specification on merits of individual cases, provided the floor space directly above the strong room is also in the possession and occupation of the Bank.

## II. THE MINIMUM REINFORCEMENTS AS ADVISED BY RBI ARE GIVEN BELOW:

#### **WALLS:**

12 mm dia mild Steel/tor steel @ 6"c/c both ways and on both faces of the wall (a formation of reinforcement matt of about 6"x 6") on either face of the wall to be obtained.

**FLOOR**: Same as in the case of walls but only on one face.

**CEILINGS**: Same as in the case of walls.

Further where reinforcement is proposed on two faces of a RCC member, it shall be staggered in such a manner that any view taken at right angles to the matt formation would show reinforcement at every (3") c/c in elevation (in respect of walls) and in plan (in respect of ceiling slab). The above reinforcements are only the minimum and depending on the structural requirements, the structural consultants for the work, should design and detail out actual reinforcements required but these shall not be less than what are specified above.

#### **III COLUMN SIZES:**

Two columns of 10"x10" size with 6 nos of 12 mm dia TOR Steel main rods and 6 mm dia binder rods are to be done only after fixing the door and ascertaining the plumbline.

IV	AIR VENTILATORS	GODREJ	STEELAGE
	Overall opening	24"x24"	24"x24"
	Clear opening	18"x18"	18"x18"

When the strong room is divided into 2 portions for cash and lockers, two ventilators for both the rooms are to be provided. The Air ventilator/s should not be fixed on the exterior / outer walls.

				erer/	

1	D	د ا	_	_	•
		ιa	L	ᆮ	•

Date: